

Quote Request

Removal and replacement of rear slab & spot point cracks in front of home at
2073 Walton Ave.

Quotes due June 24, 2013 @ 11:00 a.m.

Fax to Corinne Lisefski at (412) 456-5007

Scope of Work

Location: 2073 Walton Ave. Pittsburgh PA 15210

Work:

- Remove existing 21 x10 x4 concrete slab in rear of home
- Excavate 21x10sf
- Install #5 dowels 2 feet long into existing foundation wall
- Install 4" 2b gravel compact new are
- Install 4x4 W1.4xW1.4 (10x10) 31LB per CSF
- Build 3' retaining wall off existing step to the right side of slab
- Topsoil and seed disturbed area
- Remove existing asphalt shingle from or building
- Spot point mortar joints area where old flashing was removed
- Spot point front of building where mortar joint is coming out
- All work to be done professionally
- No debris to be placed in HACP trash receptacles
- All work to be done in accordance with the manufacturers specifications
- Vendor is responsible for obtaining all required permits

A site visit is scheduled for June 19, 2013 at 11 am at the site.

Please contact Corinne Lisefski at 412.456.5000 ext 8546 with any questions about the above scope.

**Removal and replacement of rear slab & spot point cracks in front of home at
2073 Walton Ave.**

Due: 5/24 11am

Total Bid amount for all work: \$ _____

Total Bid amount _____ **dollars**

In words

Contract award will be based on total bid amount

(Please print clearly)

Company Name: _____

Signature: _____

Print Name: _____

(of person signing)

Address: _____

(of company)

Phone Number: _____ **Fax:** _____

Email: _____