

Quote Request

Window Repairs – Caliguri Plaza

Quotes due Monday February 10, 2014 @ 11:00 a.m.

Fax to Corinne Lisefski at (412) 456-5007

Scope of Work

Provide the Following:

Repair the existing drivet and replace caulking in the leak areas as identified by Jack Owens

SITE VISIT WILL BE February 5, 2014 @ 11:00 A.M.

- Drivet sills will be repaired as necessary on 16 identified windows
- All caulking on all 16 windows along with adjacent expansion joints will be cut out.
- These joints will be packed with backing rod and caulked using a urethane sealant.
- The use of a JLG lift (or equivalent) is approved
- This work will include all other materials and equipment needed to complete this work.
- The scaling of the building is not permitting.
- The provider will coordinate work with the Site Manager, Jacqueline Thomas.

Please contact Corinne Lisefski at 412.456.5000 ext 8546 with any questions about the above scope.

Quote Request

Window Repair – Caliguri Plaza

Due: Monday, 2/10/2014 @ 11:00 AM

Total Bid amount for all work: \$ _____

Total Bid amount _____ **dollars**
(In words)

Contract award will be based on total bid amount

(Please print clearly)

Company Name: _____

Signature: _____

Print Name: _____
(of person signing)

Address: _____
(of company)

Phone Number: _____ **Fax:** _____

Email: _____